

# 16PYDO DOUBLE O-RING SANITARY LENTICULAR CARTRIDGE HOUSING

Model 16PYDO, or Pharma-Pak® Sanitary Housing, helps ensure the integrity of your pharmaceutical or biotech application by providing a highly polished housing with sanitary fittings, vent connection, and no internal threads.

The model is provided in 316L SS as standard and allows for easy cleaning after complete disassembly.

The typical housing can hold up to four 16-inch diameter double O-ring cartridges in a vertical configuration.

Additional integrity assurance is provided through the use of ErtelAlsop Bio-Pak® double O-ring cartridges.

#### STANDARD FEATURES

- 316L Stainless Steel
- Tri-Clamp Fittings
- Mirror Finish
- Pressure Gauge
- Vent
- Drain
- Silicone Gasket

## **OPTIONAL FEATURES**

- Material of Construction
- ASME Code
- Flange Fittings
- Gasket Material Buna-N, Neoprene, Viton, Silicon,

#### Teflon Encapsulated

- Tubing
- Carts
- Pumps



#### APPLICATIONS

- Research & Development
- Quality Assurance
- Production Level Processing

#### ADVANTAGES

- · Positive sealing between cartridges and housing
- Rigid structure eliminates possibility of by-pass
- No Center Post
- Less Labor
- Fewer material components reduce compatibility issues
- Static structure eliminates moving seal required by flat gasket cartridges

## **PRODUCT TESTING**

Product testing is always available either at your facility, through our network of distributors, or at our in-house laboratory.

## FILTER MEDIA

As with all ErtelAlsop plate and frame filter press models, media is available for any application and/or operating condition, and is chosen based on your specific operating conditions, the performance required by the filtering media, and criteria given to us by you and/or by sample processing we do in our lab.

ErtelAlsop offers the widest varieties of filter media including 100% cellulose pads, cellulose and diatomaceous earth pads, cellulose and Celpure® diatomaceous earth pads, cellulose and perlite pads, and cellulose and activated carbon pads.

All filter pads are manufactured to very high standards for a wide range of applications in the pharmaceutical, chemical, cosmetic, electric utility and food and beverage markets. ErtelAlsop also offers a Validation Guide to assist in the validation of its filter pads in your process. The Validation Guide contains information regarding raw materials, extractables, and general information about the product. The combination of ErtelAlsop "P" grade filter pads and ErtelAlsop's BioClean™ plate and frame filter press design, can help to simplify your depth filtration validation now more than ever.

SPECIFICATIONS	16 INCH - PY1		16 INCH - PY2		16 INCH - PY3		16 INCH - PY4	
Material of Construction	316 Stainless Steel		316 Stainless Steel		316 Stainless Steel		316 Stainless Steel	
Gasket Material	Silicone		Silicone		Silicone		Silicone	
Standard Height*	38.6 in	(981 mm)	49.5 in	(1257 mm)	60.7 in	(1542 mm)	71.6 in	(1819 mm)
Standard Width - Base	23.1 in	(587 mm)	23.1 in	(587 mm)	23.1 in	(587 mm)	23.1 in	(587 mm)
Standard Width - Dome	16.75 in	(425 mm)	16.75 in	(425 mm)	16.75 in	(425 mm)	16.75 in	(425 mm)
Weight - Empty	XX lbs	(38.10 kg)	XX lbs	(43.54 kg)	XX lbs	(53.98 kg)	XX lbs	(61.23 kg)
Volume - Empty	2904 in <sup>3</sup>	(27.74 I)	XX in <sup>3</sup>	(49.87 I)	XX in <sup>3</sup>	(71.99 I)	XX in <sup>3</sup>	(94.11 l)
Volume w/Pak Cartridge*	1472 in <sup>3</sup>	(8.10 l)	XX in <sup>3</sup>	(10.57 I)	XX in <sup>3</sup>	(13.04 I)	XX in <sup>3</sup>	(15.52 l)
Media Diameter	16 inch	(406 mm)	16 inch	(406 mm)	16 inch	(406 mm)	16 inch	(406 mm)
Number of Pak Cartridges	1		2		3		4	
Number of Cells per Pak	16		16		16		16	
Filter Area*	38.8 ft <sup>2</sup>	(3.60 m <sup>2</sup> )	77.6 ft²	(7.21m²)	116.4 ft²	(10.81 m²)	155.2 ft <sup>2</sup>	(14.42 m²)
Average Flow Rate	1 gpm/ft <sup>2</sup>	(3.79 l/ m²)	1 gpm/ft <sup>2</sup>	(3.79 l/ m <sup>2</sup> )	1 gpm/ft <sup>2</sup>	(3.79 l/ m²)	1 gpm/ft <sup>2</sup>	(3.79 l/ m <sup>2</sup> )

<sup>\*</sup> Based on 16 cell Pak Cartridges. Cartridges can be constructed with 8-16 cells per Pak Cartridge depending on filtration area needed.







For additional product information visit **ErtelAlsop.com** 

Technical Bulletin 16PYDO-PAK-11

ErtelAlsop PO Box 3358 Kingston, NY 12402 US

ErtelAlsop.com 800.553.7835 Telephone 845.339.1063 Fax Keep in touch.
Join our Newsletter to learn
about the latest filter best
practices and more!

Visit us at ErtelAlsop.com

Your Local Distributor